




EXPLORATION DUE DILIGENCE REPORT

Area 2

Peak Hill

151.4 km² area of interest · centred on 25.6417° S, 118.7250° E

1 km S of Peak Hill, Western Australia



The area and 2 km around it, seen from the south-west (vertical exaggeration applied).

PREPARED BY

ProjectScreen WA

REPORT DATE

12 October 2026

REFERENCE

PS-Area2-20261012

Contents

Area 2 · Peak Hill

Executive summary

1

The area on one page: holder, location, key facts from every section, with page references.

Land access

2

Conservation estate, native title, Aboriginal heritage, pastoral stations and other land constraints.

Terrain and access

7

3D view of the ground, slope and elevation, and the nearest roads and tracks.

Tenure history

8

Holders of the ground since 1980, and the titles over and around the area.

Geology

9

Bedrock geology and structures from GSWA mapping.

Mines and resources

10

Mines, deposits and resource estimates within 25 km as lodged with DEMIRS.

Drilling

11

Open-file drill holes within 5 km, with significant intercepts.

Geochemistry

13

Surface sampling: coverage, statistics and highest results by element.

Appendix: geochemistry atlas

15

One map per element, and element suites.

About this report


back page

Sources, dates, limitations and disclaimers.

Area 2 at a glance

Facts compiled from DMIRS, GSWA and other government datasets. Details and sources are in each section.

Peak Hill area of interest not a tenement	151.4 km² area 49 graticular blocks (7 x 7)	25.6417° S centre 118.7250° E	1 km S of Peak Hill 755 km N of Perth
--	---	--	--



Nearest towns from the area centre: Peak Hill 1 km N; Horseshoe 26 km NW; Abbots 83 km SW. Perth 755 km.

LAND ACCESS - Native title: Nharnuwangga Wajarri and Ngarlawangga determination (100%) and Nharnuwangga Wajarri and Ngarlawangga ILUA (100%) over the area. - Aboriginal heritage places: 2 registered, 5 lodged nearby. - Environment: threatened or priority records: 1 ecological community. - Land and neighbours: 14 land parcels (title search needed); pastoral lease: Bryah (N049600); Mt Padbury (N049452); 22 other titles within 1 km, most held by Aragon Resources Pty Ltd.	page 2
TERRAIN AND ACCESS - Elevation 550–618 m; relief 68 m; 0% of the area steeper than 20°. - Unsealed road and track cross the area. 80% of the area is within 2 km of a mapped road or track.	page 7
TENURE HISTORY 78 titles in 47 holdings recorded over the ground since 1959, 37 named holders. - Commodities in the holders' reports: Au, Cu, Base metals, Fe, Mn. - Titles over the area now: M 52/35 +1 title (Aragon Resources Pty Ltd, 38%); E 52/4414 +2 titles (Tambourah Metals Ltd, 20%); E 52/1668 +1 title (Alchemy Resources (Three Rivers) Pty Ltd, 16%); E 52/3401 (Albright Metals Ltd, 14%); +3 more.	page 8
GEOLOGY Bedrock (GSWA 1:500k): Peak Hill Schist 57%, Narracoota Formation 19%, Horseshoe Formation 17%.	page 9
MINES AND RESOURCES - Resource estimate recorded in the area: Peak Hill / Aragon 8.68 Mt @ 1.55 g/t Au; Peak Hill West 0.70 Mt @ 1.8 g/t Au. - Mine projects with workings in the area: Peak Hill Tailings, historic gold; Peak Hill NW, historic manganese ore (MINEDEX). 14 resource estimates within 25 km: nearest Bryah Basin Manganese JV 0.7 km, 2.42 Mt @ 20.5% Mn; Bryah Basin - Catalyst / Alchemy 6.2 km, 2.23 Mt @ 1.57 g/t Au. - Mine projects within 25 km: 2 operating or developing, 1 care and maintenance, 26 historic (MINEDEX).	page 10
DRILLING 1,928 drill holes recorded in the area, 2000–2020. 3,815 holes within 5 km, 1994–2024; most by Homestake Gold of Australia Ltd. - Significant intercepts in 146 holes in the area; 202 within 5 km. Best in the area: 8 m at 15.3 g/t Au (MP046, Homestake Gold of Australia Ltd, 2000), flagged to check against the WAMEX report.	page 11
GEOCHEMISTRY 10,810 surface samples in the area from 28 surveys, 2000–2021; 15,097 including the surrounds. - About 17% of the area has no surface sample within 200 m. - Highest values in the area: Au 20,000 ppb, Cu 754 ppm, Ni 1,280 ppm, Zn 579 ppm, Pb 72 ppm. 64 elements assayed.	page 13

Compiled from DMIRS (WAMEX, MINEDEX, tenements), GSWA, DBCA, DPLH, DWER, DPIRD, Landgate and NNTT records as at 12 Oct 2026.
Facts only: no geological interpretation, valuation or recommendation. Not legal advice.

What sits on and around the ground

Recorded tenure, heritage, environmental, water and road constraints on Area 2 and within 2 km, from public datasets.

97%

native vegetation (mapped)
DPIRD, older imagery

14

land parcels
ownership: title search needed

2

native title items
determinations, claims, ILUAs

8

factors present
of 30 checked

ACCESS REGISTER

☒ present in the area ☐ nearby only ☐ not recorded ☐ not checked / not assessed


Factor	In area	Within 2 km	Names / detail
LAND TENURE			
☐ Freehold / Crown status	Not determinable		14 parcels; Landgate title search needed
☒ Pastoral lease	15%	5	Bryah (N049600); Mt Padbury (N049452)
☐ DBCA conservation estate / reserves	–	–	
☐ Section 19 land (exempt from mining)	–	–	
☐ File notation areas	–	–	
☒ Townsites	1%	1	Peak Hill
NATIVE TITLE			
☒ Native title determination	100%		Nharnuwangga Wajarri and Ngarlawangga
☐ Native title claim (registered)	–		
☒ Indigenous Land Use Agreement	100%		Nharnuwangga Wajarri and Ngarlawangga
☒ Representative body	100%		Yamatji Marlpa Aboriginal Corp.
ABORIGINAL HERITAGE			
☒ Registered Aboriginal cultural heritage places	–	2	Baxters Road 2; Baxters Road 1
☒ Lodged places (not yet assessed)	–	5	5 places (survey references)
☐ Historic places	–	–	
☐ Protected areas	–	–	
☐ Aboriginal communities	–	–	
ENVIRONMENT			
☒ Native vegetation (mapped)	97% of area		DPIRD, older imagery
☐ Clearing-regulation environmentally sensitive area	–	–	
☒ Threatened / priority ecological community records	1 record	1	Priority 1
☐ Threatened / priority flora records	–	–	
☐ Threatened / priority fauna records	–	–	
☐ Phytophthora dieback (recorded infestations)	–	–	None recorded within 25 km
WATER			
☐ South Coast significant wetlands	–	–	
☐ Nationally important wetlands	–	–	
☐ Ramsar wetlands	–	–	
☐ Wild rivers	–	–	
INFRASTRUCTURE			
☐ Highways and main roads	–	–	
☒ Minor roads and tracks	73.9 km	2 roads	Peak Hill-Three Rivers Rd
PASTORAL ACCESS			
☐ Recent drilling on Bryah station	–		2026: 0 holes · 2025: 0 holes · latest on...
☐ Recent drilling on Mt Padbury station	–		2026: 0 holes · 2025: 0 holes · latest on...
TERRAIN			
☐ Slope / ruggedness	0% over 20°		Relief 68 m; 80% within 2 km of a road

Ownership (freehold, Crown reserve, unallocated Crown land) needs a Landgate title search. Restricted heritage places have no public boundary.

Sources: DMIRS, DBCA, DPLH, DWER, DPIRD, Landgate and NNTT via SLIP. Data as at 12 Oct 2026.

The wider area

Other titles, native title areas, towns and main roads within 25 km of Area 2.



- Subject area Area 2
- Exploration licence
- Mining lease
- Prospecting licence
- Miscellaneous licence
- Application (dashed)
- Native title determination
- Native title claim
- Indigenous Land Use Agreement
- DBCA conservation estate
- Highway / main road
- Town

ADJOINING TITLES (WITHIN 1 KM): 22

Aragon Resources Pty Ltd	E 52/2471, L 52/19 +9 more
Tambourah Metals Ltd	E 52/4319, E 52/4321 +1 more
Albright Metals Ltd	E 52/3236, E 52/3401
Alchemy Resources (Three Ri...	E 52/1668
Catalyst (Plutonic) Pty Ltd	E 52/3499
Peak Manganese Pty Ltd	E 52/4221
NM Gold Operations Pty Ltd	E 52/4576
+2 more holders	
*application	

Within 25 km: 113 exploration licences, 30 mining leases, 27 miscellaneous licences, 18 prospecting licences
Most titles: Aragon Resources Pty Ltd (21); Alchemy Resources (Three Rivers) Pty Ltd (17); Catalyst (Plutonic) Pty Ltd (15)
Nearest townsite: Peak Hill, adjoining the area

Where the constraints sit

Area 2 and a 2 km surrounding area.



- | | |
|---|-----------------------------|
| Satellite imagery (Esri World Imagery) | Registered heritage place |
| Land parcel boundaries | Lodged heritage place |
| Pastoral station boundary | Historic heritage place |
| Highway / main road | Threatened / priority flora |
| Minor road / track | Threatened / priority fauna |
| DBCA conservation estate | Native title boundary |
| Environmentally sensitive area | Townsite |
| Ecological community record (TEC / PEC) | Subject area Area 2 |
| Significant / important wetland | 2 km surrounds |

Native title areas that cover the whole map are listed on page 1 rather than drawn. Ecological community and species records are shown as points (DBCA buffers their locations). Imagery: Esri World Imagery.

Approvals and checks commonly required

What each constraint recorded on or near Area 2 usually brings with it.

KEY ACCESS FLAGS

- 14 land parcels intersect the area; ownership and access need a Landgate title search.
- On a pastoral lease: Bryah (N049600); Mt Padbury (N049452).
- Native title: Nharnuwangga Wajarri and Ngarlawangga (determination) and Nharnuwangga Wajarri and Ngarlawangga (ILUA) cover the area.
- Aboriginal heritage places: 2 registered, 5 lodged within 2 km.
- Environment: threatened or priority records in the area: 1 ecological community.
- Roads in the area: 73.9 km of minor roads and tracks.
- 22 other titles within 1 km, most held by Aragon Resources Pty Ltd.

LAND OWNERSHIP AND ENTRY

14 land parcels intersect the area; ownership needs a title search

Mining Act 1978 (WA): before entering private land the holder must give notice to the owner and occupier, and compensation is payable for loss or damage. Written consent of the owner and occupier is needed for private land in use as a yard, garden, cultivated field, orchard or similar, or within 100 m of a dwelling. On Crown reserves the Minister may impose conditions, and some reserve types need consent before work.

Usual first check: Landgate title search on each parcel to confirm owner and tenure.

Agencies: DMIRS; Landgate (title search)

PASTORAL LEASE

Pastoral lease: 15% in area, 5 within the surrounds (Bryah (N049600); Mt Padbury (N049452))
Recent drilling on Bryah station: 2026: 0 holes · 2025: 0 holes · latest on record 2024
Recent drilling on Mt Padbury station: 2026: 0 holes · 2025: 0 holes · latest on record 2024

Pastoral leases are Crown land leased for grazing. Under the Mining Act 1978 the holder must give the pastoral lessee notice before entry, must not interfere with stock or improvements, and needs the lessee's consent to work close to homesteads, buildings and stock watering points. Compensation is payable to the lessee for loss or damage. The heading above gives the open-file drill holes recorded on the station in the last two years. Drilling reports become public after a confidentiality period, so the most recent drilling may not yet be on record.

Usual first check: Contact the pastoral lessee; confirm homestead, stock water and improvement locations.

Agencies: DMIRS; DPLH (Pastoral Lands Board)

ROADS

Minor roads and tracks: 73.9 km in area, 2 roads within the surrounds (Peak Hill-Three Rivers Rd)

Road reserves are Crown land. Works within, or access from, a road reserve need approval of the road manager: Main Roads WA for highways and main roads, the local shire for other roads. Drilling in or beside a road reserve usually also needs a traffic management plan.

Usual first check: Confirm the road manager (Main Roads WA or shire) and its access and works requirements.

Agencies: Main Roads WA; local shire

A summary of the rules as generally applied in WA, drawn from the legislation named. It is not legal advice and does not assess any particular work programme: confirm requirements with the agencies listed.

Approvals and checks commonly required (continued)

What each constraint recorded on or near Area 2 usually brings with it.

NATIVE TITLE Native title determination: 100% in area (Nharnuwangga Wajarri and Ngarlawangga) Indigenous Land Use Agreement: 100% in area (Nharnuwangga Wajarri and Ngarlawangga) The area is covered by a native title determination and/or an Indigenous Land Use Agreement. An ILUA binds its parties to the processes it sets, which commonly include heritage survey and notice procedures before ground disturbance. The native title and representative bodies named in the access register are the points of contact for heritage surveys. Usual first check: Check the native title register entry and any ILUA terms; contact the body named in the access register. <i>Agencies: NNTT register; native title representative body</i>
ABORIGINAL HERITAGE Registered Aboriginal cultural heritage places: 2 within the surrounds (Baxters Road 2; Baxters Road 1) Lodged places (not yet assessed): 5 within the surrounds (5 places (survey references)) Aboriginal Heritage Act 1972 (WA): it is an offence to excavate, destroy, damage, conceal or alter an Aboriginal site without consent under section 18. Lodged places not yet assessed are protected if they meet the Act's definition of a site, so they are treated as sites until assessed. A heritage survey before ground disturbance is standard practice. Usual first check: Search the Aboriginal Cultural Heritage Inquiry System (ACHIS); plan a heritage survey before ground disturbance. <i>Agencies: DPLH (Aboriginal Cultural Heritage Inquiry System)</i>
THREATENED SPECIES AND ECOLOGICAL COMMUNITIES Threatened / priority ecological community records: 1 record in area, 1 within the surrounds (Priority 1) Threatened flora, fauna and ecological communities are protected under the Biodiversity Conservation Act 2016 (WA), and listed matters also under the EPBC Act 1999 (Cth). Taking or disturbing threatened flora needs a permit. Where records fall on or near proposed works, regulators commonly require a flora and fauna survey before clearing is approved. A significant impact on a federally listed matter may need referral under the EPBC Act. Usual first check: Desktop flora and fauna review against DBCA records; survey before clearing where records occur. <i>Agencies: DBCA; DMIRS; DCCEEW (Commonwealth)</i>

A summary of the rules as generally applied in WA, drawn from the legislation named. It is not legal advice and does not assess any particular work programme: confirm requirements with the agencies listed.

How the ground lies and how to reach it

Elevation, slope, mapped roads and tracks, and past drill holes on Area 2 and within 2 km.

68 m

relief in the area
550–618 m above sea level

0%

steeper than 20°
0% steeper than 10°



in area

nearest road or track
unsealed road crosses it

56%

within 1 km of a road or track
80% within 2 km

3D VIEW FROM THE SOUTH-WEST · vertical exaggeration ×8



KEY FACTS

- Elevation in the area 550–618 m above sea level; relief 68 m; average slope 2°.
- Slope: 96% under 5°, 4% 5–10°, 0% 10–20°, 0% over 20°.
- Mapped in the area: 34.0 km of unsealed roads, 39.8 km of tracks.
- Nearest unsealed road in the area; track in the area.
- No sealed road within 10 km.
- 56% of the area is within 1 km of a mapped road or track, 80% within 2 km.
- 1,928 open-file drill holes in the area and 899 within 2 km.


Slope under 5°	Slope 20–30°	Unsealed road	Drill hole (open file)
Slope 5–10°	Slope over 30°	Track	Subject area Area 2
Slope 10–20°	Sealed road		

Elevation: AWS Terrain Tiles (Mapzen, from SRTM and other public elevation models, about 30 m). Roads and tracks: Landgate (LGATE-195). Station and exploration tracks are often not mapped. Drill holes are open-file WAMEX holes and show where rigs have been.

Who has held the ground, 1959 to present

Each layer is one holding. Coloured area = the holder's licence; dashed outline = the subject area.

78 titles in 47 holdings recorded over this ground, including applications. Stack: the 6 largest. Timeline: the latest 10 holdings over 5% of the project, from 1980.




TIMELINE

Bar shade shows how much of the project each title covered; hatched bars are applications still pending.

Bars that overlap in time held different parts of the project. Areas are each title's final extent; earlier partial surrenders are not shown.

Not shown: 17 applications never granted, 8 older holdings and 1 holding before 1980.



Source: DMIRS current and historical tenement records, WAMEX open-file reports and drilling, GSWA 1:500k geology. Data as at 12 Oct 2026.

What the ground is made of

GSWA 1:500 000 interpreted bedrock geology over Area 2 and 5 km around it.

57%

Peak Hill Schist
largest unit (AP_-_ph-msqm)

5


rock units
mapped in the area

45.2 km

faults and shears
mapped in the area

Yilgarn Craton,
Marymia Inlier

tectonic unit
GSWA 1:500k



- Mafic rocks
- Sedimentary rocks
- Fault or shear
- Subject area Area 2

ROCK UNITS IN THE AREA

Code	Unit	GSWA description	% of area
AP_-_ph-m...	Peak Hill Schist	Quartz muscovite schist, mylonitic schist, and phyllonite	57%
P_-BYn-bb	Narracoota Formation	Basalt, locally pillowed and plagioclase-phyric, and mafic--u...	19%
P_-BYh-sf	Horseshoe Formation	Ferruginous, chloritic shale, and quartz--feldspar wacke; par...	17%
P_-BYr-ss	Ravelstone Formation	Lithic wacke and siltstone; chloritic fragments; graded beds	7%
A-mgs-Y	Yilgarn Craton granites	Schistose metagranite; may include amphibolite lenses; includ...	<1%

Source: GSWA 1:500 000 interpreted bedrock geology, faults and tectonic units (DMIRS-016, -015, -037). Rock classes group GSWA units by their descriptions for the map colours. Cover and regolith may hide bedrock.

What has been mined and defined nearby

MINEDEX mines and deposits within 25 km of Area 2, grouped by project.

2

current mines
operating or developing

1

care and maintenance
mines and deposits

26

historic mines
shut or closed

14

resource estimates
2 in the area


DISTRICT CONTEXT

•

Resource estimate recorded on Area 2: Peak Hill / Aragon, Peak Hill West. Nearby mines and resources are shown for district context only; they do not indicate mineralisation in the area.

•

Within 25 km: 14 resource estimates on record (gold, manganese, iron and copper). Mines: 2 operating or developing, 1 in care and maintenance and 26 historic.



- Mine: operating or developing

■

Mine: care and maintenance

■

Mine: historic / shut
- ◆

Deposit (estimate on record)

○

Resource estimate on record

■

Iron
- Gold

■

Other
- Copper

—

Subject area Area 2

PROJECTS

#	Project (mines)	Status	Remaining resource (basis)	km
1	Peak Hill / Aragon Main, Fiveways - Fiveways Deeps	Historic	8.68 Mt @ 1.55 g/t Au (JORC 2012, 2026)	in area
2	Peak Hill West Mt Pleasant - Peak Hill, Ravelstone Tailings	Historic	0.70 Mt @ 1.8 g/t Au (JORC 2012, 2026)	in area
3	Bryah Basin Manganese JV Horseshoe North, East Mudderwearie	Historic	2.42 Mt @ 20.5% Mn (JORC 2012, 2023)	0.7
4	Bryah Basin - Catalyst / Alchemy Wilgeena Main, Wilgeena South East	Historic	2.23 Mt @ 1.57 g/t Au (JORC 2012, 2019)	6.2
5	Robinson Range Iron / Auris	Deposit	4.30 Mt @ 55.2% Fe (JORC 2004, 2012)	8.5
6	Fortnum (Cassidy, The Pod)	Historic	24.0 Mt @ 2.09 g/t Au +R (JORC 2012, 2026)	9.7
7	Peak Hill / AustSino	Deposit	986.8 Mt @ 28.4% Fe (JORC 2012, 2022)	9.8
8	Hermes Gold (Hawkeye, Trapper)	Care & maint	3.60 Mt @ 1.84 g/t Au +R (JORC 2012, 2025)	11.8
9	Horseshoe Range Manganese / Horseshoe Mn Horseshoe Flats	Historic	0.86 Mt @ 20.8% Mn (JORC 2004, 2011)	14.7
10	Robinson Range Iron / Sinosteel Midwest	Deposit	7.36 Mt @ 53.6% Fe (JORC 2004, 2010)	15.2
24 more projects within 25 km are not listed (4 with a resource estimate).				

Source: MINEDEX (DMIRS-001), resource extract downloaded 7 Oct 2026. Prospects, occurrences and gravel pits are not shown.
Resource: current estimate lodged with DMIRS (+R = reserve also). MINEDEX may lag the latest ASX announcements.

What has been drilled in and around the project

Every open-file WAMEX drill hole inside Area 2 and within 5 km of its boundary.

1,928

holes inside area

94,609 m drilled

3,815

holes within 5 km

191,613 m, incl. area

15

explorers

active 1994–2024


202

significant intercepts

in 146 holes inside the area


WHO DRILLED, WHEN

Colour shows the decade drilled; shape shows the drill type.



DRILLING HISTORY

Metres drilled per year within the 5 km search area, by explorer.




Drilling before about 1990 is mostly held only in scanned WAMEX reports, not in the digital drill database, so earlier holders' drilling may not appear here.

What the drilling found

Best downhole intercept per hole above each commodity's threshold.

WHAT THEY FOUND

Colour shows the commodity; size shows grade × width. Numbers match the table.



BEST RESULTS

Ranked by grade × width against each threshold; holes inside the area first.

#	Hole	Explorer	Year	Type	Best intercept	Location	WAMEX
1	MP046	Homestake Gold of Austr...	2000	RAB	8 m @ 15.3 g/t Au from 36 m *	Inside	A61900
2	CHRC6	Homestake Gold of Austr...	2000	RC	9 m @ 12.0 g/t Au from 51 m *	Inside	A61900
3	JBRC003	Montezuma Mining Compan...	2008	RC	6 m @ 15.1 g/t Au from 116 m *	Inside	A79550
4	CHRC36	Homestake Gold of Austr...	2000	RC	8 m @ 11.2 g/t Au from 96 m *	Inside	A61900
5	MP078	Homestake Gold of Austr...	2000	RAB	8 m @ 10.4 g/t Au from 44 m *	Inside	A61900
6	MP102	Homestake Gold of Austr...	2000	RAB	18 m @ 4.27 g/t Au from 0 m	Inside	A61900
7	MP048	Homestake Gold of Austr...	2000	RAB	7 m @ 9.82 g/t Au from 45 m	Inside	A61900
8	JBRC017	Montezuma Mining Compan...	2008	RC	8 m @ 8.08 g/t Au from 86 m	Inside	A79550
9	MP043	Homestake Gold of Austr...	2000	RAB	12 m @ 4.95 g/t Au from 32 m	Inside	A61900
10	MP012	Homestake Gold of Austr...	2000	RAB	9 m @ 6.51 g/t Au from 11 m	Inside	A61900

192 further significant intercepts are not listed here. * Large or high-grade: check against the WAMEX report before use.

Runs above cut-off with one internal dilution sample; Au top-cut 30 g/t; ppb-as-ppm gold corrected.

Open-file data only; recent confidential drilling is not included. Not for public reporting without CP review.

Source: WAMEX open-file drilling (GSWA, May 2026 release). Data as at 12 Oct 2026.

Geochemistry summary

Surface samples reported to DMIRS (WAMEX) and GSWA regional samples on Area 2 and within 2 km.

10,810

samples in the area
15,097 incl. 2 km around

67%


surface, type not given
5 sample types in the area

17%

coverage gap
no sample within 200 m

2000–2021

sampling period
report years, whole area



- Soil (4,309)

■ Auger (515)

⊕ GSWA regional (21)

-- 2 km surrounds
- ▲ Rock chip (128)

● Surface, type not recorded (10,124)

— Subject area Area 2

KEY FACTS

- 10,810 samples in the area from 28 surveys by 13 explorers and GSWA, reported 2000–2021.
- 83% of the area lies within 200 m of a surface sample; 17% has none within 200 m.
- Highest values in the area: Au 20,000 ppb, Cu 754 ppm, Ni 1,280 ppm, Zn 579 ppm, Pb 72 ppm.
- Ranked sample groups (3+ samples within about 200 m of each other, all in the top 10% of comparable samples) are data clusters, not interpreted anomalies:
 - Gold: 40 groups touch the area; the largest (485 samples) is in the northern part.
 - Copper: 9 groups touch the area; the largest (23 samples) is in the western part.
 - Lead: 9 groups touch the area; the largest (11 samples) is in the central part.
- The highest gold value in the area (20,000 ppb) is a single sample with no other top-10% Au within 200 m (report A106536).
- The highest nickel value in the area (1,280 ppm) is a single sample with no other top-10% Ni within 200 m (report A120357).
- 64 elements have 20 or more detected values; all are mapped in the appendix.


WHO SAMPLED

Explorer	Report years	Main sample types	In area	All
Gateway Mining Limited	2018	surface, type not recorded, soil	4,013	6,191
+16 more explorers				

Source: WAMEX surface geochemistry (company reports) and GSWA regional geochemistry (DMIRS-047). Sample type is read from the dataset name where it says so. Reports are public after a confidentiality period, so recent sampling may be missing.


What the samples show

How to read: colours rank samples within their own survey. They show relative highs, not grades or anomalies.



Element atlas

Every element with 20 or more detected values, ranked within each survey. Pathfinders included.




● Top 2% ● 90th–98th percentile ● 50th–90th ● Lower half — Subject area Area 2

"% det." is the share of assayed samples above the detection limit. Elements mostly below detection show few coloured points. Ranks are within each survey or sample type. Precious metals in ppb; others in ppm or %.

Element atlas (continued)

Every element with 20 or more detected values, ranked within each survey. Pathfinders included.




● Top 2% ● 90th–98th percentile ● 50th–90th ● Lower half — Subject area Area 2

"% det." is the share of assayed samples above the detection limit. Elements mostly below detection show few coloured points. Ranks are within each survey or sample type. Precious metals in ppb; others in ppm or %.

Element atlas (continued)

Every element with 20 or more detected values, ranked within each survey. Pathfinders included.




● Top 2% ● 90th–98th percentile ● 50th–90th ● Lower half — Subject area Area 2

"% det." is the share of assayed samples above the detection limit. Elements mostly below detection show few coloured points. Ranks are within each survey or sample type. Precious metals in ppb; others in ppm or %.

Element atlas (continued)

Every element with 20 or more detected values, ranked within each survey. Pathfinders included.




● Top 2% ● 90th–98th percentile ● 50th–90th ● Lower half — Subject area Area 2

"% det." is the share of assayed samples above the detection limit. Elements mostly below detection show few coloured points. Ranks are within each survey or sample type. Precious metals in ppb; others in ppm or %.

Gold element suite


Elements and ratios commonly used in gold exploration, shown as data.



Element associations are standard exploration references, chosen from the target commodities in the area's reports. They are shown as data; which elements and ratios matter for this ground is a matter for geological judgement.

Base metals element suite

Elements and ratios commonly used in base metals exploration, shown as data.



Sources, limitations and disclaimers

This report brings together public exploration, tenure, geological and land access data for Area 2 into one document. Every figure comes from a named government dataset, listed below, as it stood on the date shown. The report states what the records show; it does not interpret them.

SOURCES

Tenure	DEMIRS (formerly DMIRS) current and historical tenements; Tengraph.
Drilling and geochemistry	WAMEX open-file company reports; GSWA drillhole and surface geochemistry compilations (May 2026 release); GSWA regional geochemistry (DMIRS-047).
Geology	GSWA 1:500 000 interpreted bedrock geology, faults and tectonic units (DMIRS-016, -015, -037).
Mines and resources	MINEDEX (DMIRS-001) sites, projects and resource estimates as lodged with DEMIRS.
Land access	Data WA / SLIP layers from DBCA, DPLH, DWER, DPIRD and Landgate; native title from the NNTT.
Terrain and imagery	Elevation from AWS Terrain Tiles (Mapzen; includes SRTM, NASA). Satellite imagery: Esri World Imagery (Esri, Maxar, Earthstar Geographics).

Government data used under the licences published with each dataset (most are Creative Commons Attribution 4.0).

LIMITATIONS AND DISCLAIMERS

- This report compiles and presents publicly available government data. It is not geological interpretation, a resource or reserve estimate, a valuation, or financial product advice, and it is not a Competent Person's report under the JORC Code.
- Only open-file data is used. Reports and drilling on live tenements are confidential until the tenement ends, so recent work by current holders will not appear. Check the holder's ASX announcements.
- MINEDEX may lag the latest ASX announcements. Resource figures are as lodged with DEMIRS at the extract date.
- Government datasets contain errors and gaps. Historical drilling is held largely in scanned reports before about 1990. Grades are screened for unit errors but should be checked against the source WAMEX report before use.
- Land access information is not legal advice. Land ownership needs a Landgate title search; restricted Aboriginal heritage places have no public boundary; native title and heritage obligations should be confirmed with the bodies named in the report.
- Facts only: nothing in the report is a recommendation to acquire, peg, explore or invest. It should not be relied on without independent technical and legal review.

Prepared by ProjectScreen

Report date 12 October 2026. Data as at the dates shown on each page.

projectscreen.com.au · david.sumich@tirol.net.au · 0439 941 092

ProjectScreen is a registered business name of Tirol Investments Pty Ltd, ABN 88 092 622 281.